

**EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(HOTOKEISHI near KENNI CHIRO).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/22 07:13
L2	271	(fuji OR xerox) and convert\$3 near format same3 print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/22 07:15
L3	78	(second substitute alternat\$4) near3 (print\$3 imag\$3 adj (formation forming)) and 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/22 07:17
L4	0	document near definition and 3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/22 07:19
L5	1	definition adj2 file and 3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/22 07:19
L6	32748	(358/1.1-1.18,2.1).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/22 07:22
L7	33953	(358/1.1-1.18,2.1,451,452,537).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/22 07:23
L8	0	conver\$3 with format same document adj definition adj file and 7	US-PGPUB	OR	ON	2009/06/22 07:24
L9	3	document adj definition adj file and 7	US-PGPUB	OR	ON	2009/06/22 07:24

S1	2853	358/1.13.ccls.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 14:21
S2	25	kikuchi-yukiko.in.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 14:21
S3	3140	print\$3 and network and ( print \$3 near4 (attribute information) near5 file)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 17:19
S4	2868	358/1.13.ccls.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 17:19
S5	292	S3 and S4	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 17:19
S6	122	(format with conver\$4) and S5	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 17:20
S7	79	plurality near3 print\$3 and S6	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 17:20
S8	63	(stor\$3 memor\$2 sav\$3) near3 file and S7	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 17:21
S9	10184	358/1.15.ccls.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 17:22

S10	36	((image print) adj3 data) near5 (attribute information) and S8	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/13 17:23
S11	2	("20020063892").pn.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/23 19:16
S12	1	naraoka near fumito and printer adj terminal	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/24 10:32
S13	28	(select choos\$3) with bas\$3 near5 printer near9 (specs specification)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/24 10:59
S14	31124	((358/1.1-1.18,2.1).ccls.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/27 19:21
S15	10	(printer apparatus device storage) near5 (information specification spec\$2 data) with (resolution dpi) with (size type) with (margin) and S14	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/27 19:27
S16	19	S14 and (queue spool\$3 print \$3) near3 (manag\$3 monitor\$3 distribut%3) and (resolution dpi) with (size type) with (margin)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/27 19:32
S17	1862	(determin\$3 output calculat\$3 decid\$3 establish\$3 (find figure) adj out) with print\$3 near3 (area layout) and S14	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/27 19:57
S18	109	S17 and ratio with (length height)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/27 19:58

S19	7	(resolution dpi) same (size type) same(margin) and S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/27 19:59
S20	31908	(358/1.1-1.18,2.1,451).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/27 20:03
S21	1885	(determin\$3 output calculat\$3 decid\$3 establish\$3 (find figure) adj out) with print\$3 near3 (area layout) and S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/27 20:03
S22	110	S21 and ratio with (length height)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/27 20:03
S23	4	(("7184165") or ("6820543") or ("6804024") or ("6295385")).PN.	USPAT; USOCR	OR	OFF	2008/12/27 20:06
S24	3	S23 and ratio	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/27 20:08
S26	32318	(358/1.1-1.18,2.1,451,452,537).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/27 20:13
S27	1	("7349120").PN.	USPAT; USOCR	OR	OFF	2008/12/27 20:24
S28	1902	(determin\$3 output calculat\$3 decid\$3 establish\$3 (find figure) adj out) with print\$3 near3 (area layout) and S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/27 20:28
S29	19	(resolution dpi) same (size type) same(margin) and ratio and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/27 20:29

S30	32318	(358/1.1-1.18,2.1,451,452,537).ccls.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/27 23:04
S31	28	margin same size same (resolution dpi) and (determin \$3 output calculat\$3 translat\$3 convert\$3 decid\$3 establish\$3 (find figure) adj out) with print \$3 near3 (area layout) and S30	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/27 23:04
S32	1592	(358/451,452,537).ccls.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/28 00:58
S33	32318	(358/1.1-1.18,2.1,451,452,537).ccls.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/28 01:01
S34	41	(printer OR print) with (distribution OR distributing) and job and (layout OR format) with information and (resolution dpi) and (determin\$3 output calculat\$3 translat\$3 convert\$3 chang\$3 alter\$3 decid\$3 establish\$3 (find figure) adj out) with print\$3 near3 (area layout) and S33	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/28 01:01
S35	1	(printer OR print) with (distribution OR distributing) with (layout OR format OR area) and margin same (resolution dpi) same size and (calculat\$3 translat\$3 convert\$3 chang\$3 alter\$3 revis\$3 transform\$3) with (print\$3 page sheet) near3 (format area layout) and S33	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/28 01:11
S36	67	(printer OR print) with (distribution OR distributing) with (layout OR format OR area) and (calculat\$3 translat\$3 convert\$3 chang\$3 alter\$3 revis\$3 transform\$3) with (print\$3 page sheet) near3 (format area layout) and S33	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/28 01:11

S37	63	(printer OR print) with (distribution OR distributing) with (layout OR format OR area) and (calculat\$3 translat\$3 convert\$3 chang\$3 alter\$3 revis\$3 transform\$3) near3 (format area layout) with (print\$3 page sheet) and S33	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/28 01:13
S38	65	(printer OR print) with (distribution OR distributing) with (layout OR format OR area) and (calculat\$3 translat\$3 convert\$3 chang\$3 alter\$3 revis\$3 transform\$3) near3 (format area layout) with (print\$3 page sheet) and ratio	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/28 01:20
S39	34	(printer OR print) with (distribution OR distributing) with (layout OR format OR area) and (calculat\$3 translat\$3 convert\$3 chang\$3 alter\$3 revis\$3 transform\$3) near3 (format area layout) with (print\$3 page sheet) and (ratio percent\$3) with (margin size resolution format layout attribute length height)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/28 01:23
S40	32318	(358/1.1-1.18,2.1,451,452,537).ccls.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/28 11:47
S41	1	("5081579").PN.	USPAT; USOCR	OR	OFF	2008/12/28 11:50
S42	2779	(determin\$3 output chang\$3 alter\$3 convert\$3 calculat\$3 decid\$3 establish\$3 (find figure) (adj out) with print\$3 near3 (format layout) and S40	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/28 11:51
S43	1	("6417931").PN.	USPAT; USOCR	OR	OFF	2008/12/28 12:55
S44	95	(print\$3 job) near4 distribut\$3 and margin same (resolution dpi) same size	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 11:42
S45	89	(print\$3 job) near2 distribut\$3 and margin same (resolution dpi) same size	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 11:56

S46	11361	358/1.15.ccls.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 11:56
S47	1	("7372590").PN.	USPAT; USOCR	OR	OFF	2008/12/30 12:02
S48	22	(US-20020097428-\$ or US-20060268317-\$ or US-20060114497-\$ or US-20060039026-\$ or US-20070182992-\$ or US-20060269310-\$ or US-20040184071-\$ or US-20020063886-\$ or US-20050099649-\$).did. or (US-5697040-\$ or US-6970261-\$ or US-6509974-\$ or US-5995721-\$ or US-6519053-\$ or US-5179637-\$ or US-5559933-\$ or US-5557367-\$ or US-7302199-\$ or US-6856411-\$ or US-7265855-\$ or US-6335795-\$ or US-6850336-\$ or US-5710635-\$ or US-6975417-\$ or US-6836339-\$ or US-5617214-\$ or US-7216347-\$ or US-6687018-\$ or US-7443529-\$ or US-5467434-\$ or US-5859711-\$).did. and margin and size and (resolution OR dpi)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 12:32
S49	61	(US-20020097428-\$ or US-20060268317-\$ or US-20060114497-\$ or US-20060039026-\$ or US-20070182992-\$ or US-20060269310-\$ or US-20040184071-\$ or US-20020063886-\$ or US-20050099649-\$).did. or (US-5697040-\$ or US-6970261-\$ or US-6509974-\$ or US-5995721-\$ or US-6519053-\$ or US-5179637-\$ or US-5559933-\$ or US-5557367-\$ or US-7302199-\$ or US-6856411-\$ or US-7265855-\$ or US-6335795-\$ or US-6850336-\$ or US-5710635-\$ or US-6975417-\$ or US-6836339-\$ or US-5617214-\$ or US-7216347-\$ or US-6687018-\$ or US-7443529-\$ or US-5467434-\$ or US-5859711-\$).did.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 12:32

S50	27447	margin and size and (resolution OR dpi)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 12:33
S51	4	S49 and S50	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 12:33
S52	32392	(358/1.1-1.18,2.1,451,452,537).ccls.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/03 08:16
S53	522	(printer device apparatus) same (margin and size and resolution) and S52	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/03 08:17
S54	28	(printer device apparatus) near4 (ability information characteristic) same (margin and size and resolution) and S52	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/03 08:18
S55	25	("4778288"   "5634091"   "5732197"   "5839033"   "5963216"   "5995721").PN. OR ("6417931").URPN.	US_PGPUB; USPAT; USOCR	OR	ON	2009/06/17 02:09
S56	674	(layout template) near3 file and "358"/\$.ccls.	US_PGPUB; USPAT; USOCR	OR	ON	2009/06/17 02:30
S57	365	(358/1.13-1.15).ccls. and S56	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 02:30
S58	14971	(358/1.13-1.15).ccls.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 13:42
S59	99	(layout template) adj2 files and "358"/\$.ccls.	US_PGPUB; USPAT; USOCR	OR	OFF	2009/06/17 13:43
S60	18	(layout template) adj2 files with server same print\$3	US_PGPUB; USPAT; USOCR	OR	OFF	2009/06/17 13:51
S61	158	re\$3format\$3 near3 print\$3 same (printer OR device)	US_PGPUB; USPAT; USOCR	OR	OFF	2009/06/17 13:56

S62	75	re\$3format\$4 near3 print\$3 near3 (data sheet page) same (printer OR device)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/17 13:56
S63	3	re\$3format\$4 near3 print\$3 near3 (data sheet page) same (substitut\$3 alterna\$5 second next) near2 (printer OR device)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/17 13:57
S64	6	re\$3format\$4 near3 print\$3 same (substitut\$3 alterna\$5 second next) near2 (printer OR device)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/17 13:57
S65	0	re\$3format\$4 near3 print\$3 same (another) near2 (printer OR device)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/17 14:00

6/22/2009 7:43:20 AM

C:\Documents and Settings\ddicker\My Documents\EAST\Workspaces\10521558 network printing system.wsp